

**SIX MONTHLY COMPLIANCE REPORT ON
CONDITION OF ENVIRONMENTAL CLEARANCE
(FOR THE PERIOD OCT.'2020 TO MAR.'2021)**

(Environment Clearance Granted by SEIAA, Bihar vide Ref. No. 94/SEIAA/17 Dt: 27.06.2017)

Part A- Specific Conditions		Compliances
i	No change of Products or capacity shall be undertaken without prior approval of SEIAA, Bihar/ MoEF&CC, Govt. of India.	Any change of Products or capacity will be undertaken after prior approval of SEIAA, Bihar / MoEF&CC, Govt. of India.
ii	Sufficient air pollution control system viz. Fume extraction system with dust collectors, ID Fan and Stack of adequate height (as per CPCB) to furnace shall be provided to control emission below 50 mg/NM ³ .	Fume extraction system with dust collectors, ID Fan and Stack of adequate height (as per CPCB) are provided to control emission below 50 mg/NM ³ .
iii	Secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/Code of Practice issued by the CPCB shall be followed.	Fugitive Emissions are within the permissible limits prescribed under E(P) Rules 1986 and amendments thereafter.
iv.	The total water requirement shall not be exceed 25m ³ /day. 'Zero' Effluent discharge shall be strictly followed and no wastewater should be discharged outside the premises.	The total water requirement is 25m ³ /day. 'Zero' Effluent discharge is being followed and no wastewater are discharged outside the premises.
v.	Rain water harvesting structures should be provided to recharge the ground water aquifer. Efforts shall be also made to recycle harvested rain water.	Rain water harvesting structures are being developed to recharge the ground water aquifer. Efforts will also be made to recycle harvested rain water.
vi.	Green belt over 33% of the total project area should be developed and maintained within plant premises with at least 10m. wide green belt on all sided along the periphery of the project area in downward direction to mitigate the effects of fugitive emissions as per the CPCB guidelines.	As per requirement of E(P) Act'1986, 1.33 Ha. (33% of total land) of land is required for Green Belt Development and 1995 nos. of trees (@1500 trees/Ha.) are required to be planted. Due to lack of space for green belt development within our premises, we have developed green belt outside premises in land provided by BIADA (vide their letter No. 5327/D Dt: 26.10.2018) within Mega Industrial Park, Bihta. (copy attached) We have planted 816 nos. of trees (as part of 33 % green belt) within Mega Industrial Park, Bihta, which is certified by BIADA, vide Memo No. 47/MIP Dt: 25.04.2019. (copy attached) We are maintaining the existing plantation and additional plantation of 1179 nos. trees are going on. We have planted 500 saplings alongwith Tree Guard around IIT Bihar in supervision of Rotary Club of Patna Midtown. (Details attached)



BALMUKUND CONCAST PRIVATE LIMITED

Randha
DIRECTOR
DIN-02474577

vii.	Occupational Health Surveillance of Workers including regular analysis for respiratory and audiometric parameters shall be done on a regular basis and records shall be maintained as per the Factories Act.	Occupational Health Surveillance of workers is being done as per requirement of Factories Act'1948.
viii.	Proper housekeeping shall be maintained within premises. Process machinery, exhaust and ventilation systems shall be laid in accordance with Factories Act. Better housekeeping practices should be adopted for improvement of the environment within the work environment.	Proper housekeeping is being maintained within premises. Process machinery, exhaust and ventilation systems are in accordance with Factories Act. Better housekeeping practices are being adopted for improvement of the environment within the work environment.
ix.	The project proponent directed to deposit 10% of the CSR cost (2.5% of the total project cost) as security in the form of fixed deposit, in a nationalized bank, pledged in the name of SEIAA, Bihar and details along with time schedule for implementation shall be prepared and submitted to the SEIAA, Bihar.	This will be complied as per direction of SEIAA, Bihar.
x.	Slags (containing iron) generated due to proposed project operation should not be used for land filling. All the generated iron slag shall be used for cement manufacturing or reuse in iron industries.	Slags are not being used for land filling. All the generated iron slag are sold to be used for cement manufacturing or reuse in iron industries.
xi.	Regular Monitoring and analysis of all environmental components viz. Ambient Air Quality, Stack Emission, Noise Level and Ground water should be done and reports should be submitted to BSPCB, Patna / SEIAA, Bihar.	Regular Monitoring and analysis of all environmental components viz. Ambient Air Quality, Stack Emission, Noise Level and Ground water are being done. Test Reports attached as Annex - I.
xii.	Parking & road will not come up in green belt area.	Parking & road are not in green belt area.
xiii.	For withdrawal of ground water authorization from Central Ground Water Board (C.G.W.B) if applicable.	CGWB has granted NOC for ground water with drawal of 25 m ³ /day vide NOC No. CGWA/NOC/IND/ORIG/2020/7238 Dt: 23.01.2020 which is valid upto 22.01.2022. (Copy attached as Annex - II)
PART B- General Conditions		
i.	The project authorities must strictly adhere to the stipulations made by the Bihar State Pollution Control Board and State Government.	We strictly adhere to the stipulations made by the Bihar State Pollution Control Board and State Government.
ii.	Project Proponent should obtain prior Consent to Establish (NOC) under Sec. 25 & 26 of The Water (Prevention & Control of Pollution) Act' 1974 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act' 1981 from Bihar State Pollution Control Board before start of any construction activities.	We have obtained prior Consent to Establish (NOC) under Sec. 25 & 26 of The Water (Prevention & Control of Pollution) Act'1974 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act'1981 from Bihar State Pollution Control Board vide No. T-7000 Date : 27.12.2017. Copy attached as Annexure – III.
iii.	Project Proponent should obtain prior Consent to Operate under Sec. 25 & 26 of The Water (Prevention & Control of Pollution) Act' 1974 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act' 1981 from Bihar State	We have obtained prior Consent to Operate under Sec. 25 & 26 of The Water (Prevention & Control of Pollution) Act'1974 vide Ref. No. 7152 Date 06.12.2019 valid upto 31.12.2023 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act'1981 vide Ref. No. 7151 Date



	Pollution Control Board before start of production activities.	06.12.2019 valid upto 31.12.2023. Copy attached as Annexure – IV.
iv.	Water Meters shall be installed at water intake point and water cess should be submitted to SPCB as per guidelines of E(P) Act.	Water Meters are installed at water intake point and water cess will be submitted to SPCB as per guidelines of E(P) Act.
v.	At least Four Ambient air Quality Monitoring Stations shall be set up. One in the down wind direction and three where maximum ground level concentration of PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , are anticipated in consultation with the Bihar State Pollution Control Board. Data on ambient air quality and stack emission shall be regularly monitored and test reports will be submitted to SEIAA Bihar / BSPCB / once in six months.	Ambient air Quality Monitoring is being conducted at 4 locations. Data on ambient air quality and stack emission is being regularly monitored and test reports are attached herewith.
vi.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Enclosures and silences have been provided for maintaining overall noise levels in and around the plant area within the standards. Noise level monitoring reports are attached herewith.
vii.	The project authorities shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Rain water harvesting structures are being developed to recharge the ground water aquifer. Efforts will also be made to recycle harvested rain water.
viii.	The company shall comply with the recommendations made in the EIA/EMP report.	We will comply with the recommendations made in the EIA/EMP report.
ix.	The project authorities shall earmarked requisite funds towards capital and recurring cost / annum for environment pollution control measures to implement the conditions stipulated by SEIAA, Bihar with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.	Requisite funds are earmarked towards capital and recurring cost / annum for environment pollution control measures to implement the conditions stipulated by SEIAA, Bihar. The funds so provided shall not be diverted for any other purpose.
x.	The applicant shall inform the public that the project has been accorded environmental clearance by SEIAA and that the copies of the clearance letter are available with the Website of SEIAA. This shall be advertised within seven days from the date of the clearance letter, in at least two local newspapers that are widely circulated in the region, one of which shall be in the Hindi language and the other in English. A copy each of the same shall be forwarded to SEIAA, Bihar.	We have advertised public notice regarding grant of Environmental Clearance in 2 local newspapers on 24.07.2017 and submitted the same to SEIAA Bihar on 03.08.2017. (Copy attached as Annexure – V.
xi.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of	We are submitting six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as



	monitored data (both in hard copies as well as soft copy by e-mail) to the Regional Office of MoEF&CC at Ranchi, SEIAA, Bihar and the Bihar State Pollution Control Board.	soft copy by e-mail) to the Regional Office of MoEF&CC at Ranchi, SEIAA, Bihar and the Bihar State Pollution Control Board.
xii.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to Regional Office of MoEF&CC (Ranchi) & SEIAA, Bihar.	The environmental statement for each financial year ending 31 st March in Form-V as is being submitted to the State Pollution Control Board.
xiii.	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which should be in the vernacular language informing the public that the proposed expansion project has been accorded Environmental Clearance and copies of clearance letters are available with the Bihar State Pollution Control Board and may also be seen on the website of the SEIAA, Bihar. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional Office of MoEF&CC at Ranchi & SEIAA Bihar.	We have advertised public notice regarding grant of Environmental Clearance in 2 local newspapers on 24.07.2017 and submitted the same to SEIAA Bihar on 03.08.2017. (Copy attached as Annexure – V.
xiv.	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Land Development work started in Jan.'2018.
PART C- Conditions for Entire Life of Project		
i.	No further expansion / modification in the plant shall be carried out without prior permission of SEIAA, Bihar / MoEF&CC, Govt. of India.	Expansion / modification in the plant will be carried out after prior permission of SEIAA, Bihar / MoEF&CC, Govt. of India.
ii.	Project Proponent should obtain Consent to Operate under Sec. 25 & 26 of The Water (Prevention & Control of Pollution) Act' 1974 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act' 1981 from Bihar State Pollution Control Board regularly.	We have obtained Consent to Operate under Sec. 25 & 26 of The Water (Prevention & Control of Pollution) Act'1974 vide Ref. No. 7152 Date 06.12.2019 valid upto 31.12.2023 and under Sec. 21 of The Air (Prevention & Control of Pollution) Act'1981 vide Ref. No. 7151 Date 06.12.2019 valid upto 31.12.2023. Copy attached as Annexure – IV.
iii.	Slags generated due to proposed project operation should not be used for land filling. All the generated iron slag shall be used for cement manufacturing or reuse in iron industries.	Slags are not being used for land filling. All the generated iron slag are sold to be used for cement manufacturing or reuse in iron industries.
iv.	Occupational Health Surveillance of Workers including regular analysis for respiratory and	Occupational Health Surveillance of workers is being done as per requirement of Factories Act'1948.



	audiometric parameters shall be done on a regular basis and records shall be maintained as per the Factories Act.	
v.	Proper housekeeping shall be maintained within premises. Process machinery, exhaust and ventilation systems shall be laid in accordance with Factories Act. Better housekeeping practices should be adopted for improvement of the environment within the work environment.	Proper housekeeping is being maintained within premises. Process machinery, exhaust and ventilation systems are in accordance with Factories Act. Better housekeeping practices are being adopted for improvement of the environment within the work environment.
vi.	Green belt over 33% of the total project area should be developed and maintained within plant premises with at least 10m. wide green belt on all sides along the periphery of the project area in downward direction to mitigate the effects of fugitive emissions as per the CPCB guidelines.	As per requirement of E(P) Act 1986, 1.33 Ha. (33% of total land) of land is required for Green Belt Development and 1995 nos. of trees (@1500 trees/Ha.) are required to be planted. Due to lack of space for green belt development within our premises, we have developed green belt outside premises in land provided by BIADA (vide their letter No. 5327/D Dt: 26.10.2018) within Mega Industrial Park, Bihta. (copy attached as Annex - VI) We have planted 816 nos. of trees (as part of 33 % green belt) within Mega Industrial Park, Bihta, which is certified by BIADA, vide Memo No. 47/MIP Dt: 25.04.2019. (copy attached as Annex - VII) We are maintaining the existing plantation and additional plantation of 1179 nos. trees are going on. We have planted 500 saplings alongwith Tree Guard around IIT Bihar in supervision of Rotary Club of Patna Midtown. (Certificate attached as Annex - VIII)
vii.	The project authorities must strictly adhere to the stipulations made by the Bihar State Pollution Control Board and State Government.	We always adhere to the stipulations made by the Bihar State Pollution Control Board and State Government.
viii.	The SEAC/SEIAA Bihar will have the right to amend the above conditions and add additional safeguard measures subsequently, If found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time-bound and satisfactory manner.	Agreed
ix.	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal (NGT), if preferred within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Agreed



BALMUKUND CONCAST PRIVATE LIMITED
Kandelia
 DIRECTOR
 DIN-02474577



SHIVA TEST HOUSE
122 - C, Aastha, Road No. 5 A
Patliputra Colony ; Patna - 800 013
E.mail : sthpatna1@yahoo.co.in

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. <i>G/TR/21-22/339</i>	Dt : <i>14.06.2021</i>	Your Work Order No. <i>NIL</i>	Dt : <i>05.06.2021</i>	
[a] Name and address of the Customer	M/s Bal Mukund Concast Pvt. Ltd. Mahadeopur ; Phulari BIHTA Dist. PATNA			
[b] Report to be submitted to	<i>Director</i>			
[c] Details of Sample	<i>Monitoring of Stack Emission</i>			
[d] Sample Collected by	SHIVA TEST HOUSE on 07.06.21			
[e] No. & Type of Container	<i>Thimble & Glass Impinger</i>			
[f] Items required to be tested	As per contract			
[g] Whether any specific Method of Test has been suggested by the party	No			
[h] Date of receiving the sample	<i>07.06.21</i>			
Parameters	Method of Test	Results		
1. Type of Fuel used		Coal Powder (0.5 TPD)		
2. Stack Connected to		Rolling Mill Furnace		
3. Stack No.		I		
4. Height of Stack (as reported)		27.5 m.		
5. Dia of Stack at top (as reported)		0.80 m.		
6. Draft		FD Fan		
7. Material of Construction		M.S.		
8. Ambient Temperature, °C		33.0		
9. Flue Gas Temperature, °C		141.0		
10. Velocity, m/sec.		IS 11255 (Part-3)	7.6	
11. Sampling Point			6.50 m.	
		Concentration (mg / NM ³)	Standards as per EC & E(P) Rules	
12. Particulate Matter (P.M.)	IS 11255 (Part-1)	42.6	50 mg / NM ³	
13. Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	20.4	300 mg / NM ³	
14. Oxides of Nitrogen (NO _x)	IS 11255 (Part-7)	38.7	1000 mg / NM ³	



[Signature]

Authorized Signatory
Quality Manager / Dy. Quality Manager

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.



SHIVA TEST HOUSE

122 - C, Aastha, Road No. 5 A
Patliputra Colony ; Patna - 800 013

E.mail : sthpatna1@yahoo.co.in

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. G/TR/21-22/340	Dt : 14.06.2021	Your Work Order No. NIL	Dt : 05.06.2021	
[a] Name and address of the Customer	M/s Bal Mukund Concast Pvt. Ltd. Mahadeopur ; Phulari BIHTA Dist. PATNA			
[b] Report to be submitted to	Director			
[c] Details of Sample	Monitoring of Stack Emission			
[d] Sample Collected by	SHIVA TEST HOUSE on 07.06.21			
[e] No. & Type of Container	Thimble & Glass Impinger			
[f] Items required to be tested	As per contract			
[g] Whether any specific Method of Test has been suggested by the party	No			
[h] Date of receiving the sample	07.06.21			
Parameters	Method of Test	Results		
1. Stack Connected to		Fume Extraction System attached to Induction Furnace		
2. Stack No.		11		
3. Height of Stack (as reported)		27 m.		
4. Dia of Stack (as reported)		0.6 m.		
5. Material of Construction		M.S.		
6. Ambient Temperature, °C		33.0		
7. Exhaust Temperature, °C		137.0		
8. Velocity, m/sec.		IS 11255 (Part-3)	8.3	
9. Sampling Point			15.00 M.	
		Concentration (mg / NM ³)	Standards as per EC & E(P) Rules	
10. Particulate Matter (P.M.)	IS 11255 (Part-1)	37.4	50 mg / NM ³	
11. Sulphur Dioxide (SO ₂)	IS 11255 (Part-2)	12.1	300 mg / NM ³	
12. Oxides of Nitrogen (NOx)	IS 11255 (Part-7)	51.4	400 mg / NM ³	
N.B.:	The unit has installed Fume Extraction System with Wet Scrubber in both the furnaces			



[Signature]

Authorized Signatory
Quality Manager / Dy. Quality Manager

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.



SHIVA TEST HOUSE

122 - C, Aastha, Road No. 5 A

Patliputra Colony ; Patna - 800 013

E.mail : sthpatna1@yahoo.co.in



RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. <i>G/TR/21-22/341</i>		Dt : <i>14.06.2021</i>		Your Work Order No. <i>NIL</i>		Dt : <i>05.06.2021</i>	
a. Name and Address of the Customer			M/s Bal Mukund Concast Pvt. Ltd. Mahadeopur ; Phulari BIHTA Dist. PATNA				
b. Report to be submitted to			Director				
c. Details of Sample			Monitoring of Ambient Air Quality				
d. Sample collected by			Shiva Test House on 07.06.21				
e. No. & Type of Container			Filter Paper & Glass Impinger				
f. Items required to be tested			As per Contract				
g. Whether any specific Method of Test has been suggested by the Party			NO				
h. Date of Receiving the sample			08.06.21				
Parameters	Method of Test	Sampling Station					
		Near Main gate	Near Office	Near Production Area	Near Labour Rest House		
RESULTS IN $\mu\text{g} / \text{M}^3$							
Particulate Matter (PM ₁₀)	IS 5182 (Part-23)	77.1	60.0	86.6	85.2		
		68.0	55.9	82.7	79.1		
		66.9	48.1	77.6	71.9		
Sulphur Dioxide as SO ₂	IS 5182 (Part-2)	9.2	9.2	13.6	14.9		
		12.5	11.6	14.8	13.9		
		8.5	13.5	16.2	13.0		
		7.3	6.2	12.3	11.7		
		6.4	5.4	10.9	11.2		
Nitrogen Dioxide as NO ₂	IS 5182 (Part-6)	8.0	6.9	10.0	11.0		
		30.5	20.2	39.1	35.1		
		32.2	24.6	40.8	34.2		
		25.7	26.0	42.6	30.7		
		23.6	17.7	37.3	30.1		
Average Value		22.2	14.7	35.0	27.6		
		25.2	18.3	33.8	27.8		
PM ₁₀		70.6	54.7	82.3	78.7		
SO ₂		8.6	8.8	13.0	12.6		
NO ₂		26.6	20.2	38.1	30.9		



[Signature]

Authorized Signatory
Quality Manager / Dy. Quality Manager

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.



SHIVA TEST HOUSE
122 - C, Aastha, Road No. 5 A
Patliputra Colony ; Patna - 800 013
E.mail : sthpatna1@yahoo.co.in

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. G/TR/21-22/342	Dt: 14.06.2021	Your Work Order No. NIL	Dt: 05.06.2021
[a] Name and address of the Customer	M/s Bal Mukund Concast Pvt. Ltd. Mahadeopur ; Phulari BIHTA Dist. PATNA		
[b] Report to be submitted to	Director		
[c] Details of Sample	Monitoring of Ambient Noise Level within factory premises		
[d] Monitored by	SHIVA TEST HOUSE on 07.06.21		
[f] Whether any specific Method of Test has been suggested by the party	No		
Sampling Location	Time Weighted Average (TWA) of Noise Level in dB(A) [12 hrs.]		
1. Near Main Gate	67.4		
2. Near Office	65.1		
3. Near Rolling Mill Furnace	71.6		
4. Near Store Yard	69.7		
5. Near Labour Rest house	63.9		
N.B.:	The Ambient Air Quality Standards in respect of Noise as per Noise Pollution (Regulation and Control) Rules 2000 for Industrial area is 75.0 dB(A), for Commercial area is 65.0 dB(A), for Residential area is 55.0 dB(A) & for Silence Zone is 50.0 dB(A) in daytime i.e. 6.00 am to 9.0 p.m. As per Rule 7(1&2) the authority shall take action against violator if the noise level exceed the ambient noise standards by 10 dB(A) or more against any area/zone.		



[Signature]

Authorized Signatory
Quality Manager / Dy. Quality Manager

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.



SHIVA TEST HOUSE

122 – C, Aastha, Road No. 5 A
Patliputra Colony ; Patna – 800 013
E.mail : sthpatna1@yahoo.co.in



RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. G/TR/21-22/343	Dt : 14.06.2021	Your Work Order No. NIL	Dt : 05.06.2021	
[a] Name and address of the Customer	M/s Bal Mukund Concast Pvt. Ltd. Mahadeopur ; Phulari BIHTA Dist. PATNA			
[b] Report to be submitted to	Director			
[c] Details of Sample	Effluent Sample collected from final discharge point (Domestic Waste)			
[d] Sample Collected by	SHIVA TEST HOUSE on 07.06.21			
[e] No. & Type of Container	Plastic Bottle			
[f] Items required to be tested	As per contract.			
[g] Whether any specific Method of Test has been suggested by the party	No			
[h] Date of receiving the sample	07.06.21			
S. N.	Parameters	Method of Test	Limit (mg/l.) as per E(P) Rules, Sch. VI	Result (in mg/l.) except pH, Colour
1	Colour	IS 3025 (Part-4)	Not Specified	Colourless
2	pH	IS 3025 (Part-11)	5.5 to 9.0	6.74
3	Suspended Solids	IS 3025(Part-15)	100.00	84.0
4	Total Dissolved Solids	IS 3025 (Part-16)	Not Specified	660.0
5	Oil & Grease	IS 3025 (Part-39)	10.00	1.4
6	B.O.D.(3 days at 27°C)	IS 3025 (Part-44)	30.00	24.0
7	C.O.D.	APHA 5220 B	250.00	112.0
8	Sulphate as SO ₄	APHA (4500-E)	Not Specified	61.9
9	Chloride as Cl	IS 3025 (Part-32)	Not Specified	72.0
10	Dissolved Phosphate as P	APHA (4500-P-D)	5.00	1.6
11	Ammonical Nitrogen as N	IS 3025 (Part-34)	50.00	15.2
12	Total Kjeldahl Nitrogen as N	APHA (4500 N org)	100.00	22.6



[Signature]

Authorized Signatory
Quality Manager / Dy. Quality Manager

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.



SHIVA TEST HOUSE
122 - C, Aastha, Road No. 5 A
Patliputra Colony ; Patna - 800 013
E.mail : sthpatna1@yahoo.co.in

RECOGNISED AS ENVIRONMENTAL LABORATORY BY MOEFCC, GOVT. OF INDIA, UNDER ENVIRONMENT (PROTECTION) ACT 1986, DEPTT. OF INDUSTRY, FORESTS & ENVIRONMENT, GOVT. OF BIHAR AND BIHAR STATE POLLUTION CONTROL BOARD

TEST REPORT

Ref. No. <i>G/TR/21-22/344</i>		Dt : <i>14.06.2021</i>		Your Work Order No. <i>NIL</i>		Dt : <i>05.06.2021</i>	
[a]	Name and address of the Customer			M/s Bal Mukund Concast Pvt. Ltd. Mahadeopur ; Phulari BIHTA Dist. PATNA			
[b]	Report to be submitted to			Director			
[c]	Details of Sample			Monitoring of Fugitive Emissions			
[d]	Sample Collected by			SHIVA TEST HOUSE on 07.06.21			
[e]	No. and Type of Container			Filter Paper			
[f]	Items required to be tested			As per contract			
[g]	Whether any specific Method of Test has been suggested by the party			No			
[h]	Date of receiving the sample			08.06.21			
S. N.	Sampling Point	Concentration of Particulate Matter		Limit as per E(P) Rules Schedule 1			
		(µg/M ³)		2000			
1	10 M. away from Main Gate	1210.0					
2	10 M. away from Induction Furnace Area	1740.0					
3	10 M. away from Rolling Mill Area	1680.0					
4	10 M. away from Raw Material Handling Area	1510.0					
5	10 M. away from Storage Area	1200.0					



[Signature]

Authorized Signatory
Quality Manager / Dy. Quality Manager

1. This report applies only to sample tested as above.
2. Total Liability of our Laboratory is limited to invoiced amount.
3. Test Report endorsed only the tests and not the product certificate.
4. Test Report can not be reproduced partially or full for legal/court purpose without written permission of the Laboratory.



सत्यमेव जयते

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	M/s Balmukund Concast Pvt. Ltd.		
Project Address:	M/s Balmukund Concast Pvt. Ltd., Mahadeopur, Phulari, Bihta, Patna, Bihar		
Town:	Bihta (np)	Block:	Bihta
District:	Patna	State:	Bihar
Pin Code:	801103		
Communication Address:	M/s Balmukund Concast Pvt. Ltd., Mahadeopur, Phulari, Bihta, Patna, Bihar - 801103		
Address of CGWB Regional Office :	Central Ground Water Board Mid Eastern Region, 6th & 7th Floor, Lok Nayak Jai Prakash Bhawan, Frazer Road, Dak Banglow, Patna, Bihar - 800011		

1. NOC No.:	CGWA/NOC/IND/ORIG/2020/7238									
2. Application No.:	21-4/407/BR/IND/2018	3. Category:	Industry							
4. Project Status:	Existing Project	5. NOC Type:	New							
6. Valid from:	23/01/2020	7. Valid up to:	22/01/2022							
8. Ground Water Abstraction Permitted:										
Fresh Water		Saline Water		Dewatering		Total				
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year			
25.00	7500.00					25.00	7500.00			
9. Details of ground water abstraction /Dewatering structures										
Total Existing No.:2					Total Proposed No.:0					
	DW	DCB	BW	TW	MP	DW	DCB	BW	TW	MP
Abstraction Structure*	0	0	0	2	0	0	0	0	0	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore-Well; TW-Tube Well; MP-Mine Pit										
10. Quantum of ground water recharge/harvesting(m ³ /year):	17116.00									
11. Number of Piezometers (Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers			Monitoring Mechanism						
				Manual	DWLR**	DWLR With Telemetry				
**DWLR - Digital Water Level Recorder	1			1	0	0				

(Compliance Conditions given overleaf)



Digitally signed by
NANDAKUMARAN P
Date: 2020.02.05 15:20:01 +05'30'

सदस्य (केन्द्रीय भूमि जल प्राधिकरण)
Member (CGWA)

18/11, जामनगर हाउस, मालसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011
Phone: (011) 23383561 Fax: 23382051, 23386743
Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following mandatory conditions:

1. No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
2. The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
3. All new as well as existing ground water abstraction/ de-watering structures shall be fitted with digital water flow meters by the firm at its own cost immediately on completion of their construction or grant of NOC as the case may be. In case of renewal of NOCs, all existing ground water abstraction structures shall continue to be fitted with digital water flow meters. Intimation of installation of flow meters shall be sent by the proponent to the Regional Director of CGWB within 6 months of grant of NOC. Daily ground water abstraction data shall be monitored / continue to be monitored (in case of renewal) by the firm and recorded in a log book. Details of month-wise ground water abstraction shall be submitted to the Regional Director, CGWB, once every year.
4. In case the ground water abstraction is more than 10 m³/day, monthly water level monitoring data shall be maintained and submitted annually to the Regional Office of CGWB. Wherever groundwater withdrawal is more than 500 m³/day, the firm shall install telemetry system in one of the piezometers and share USER ID and password of the telemetry system with the Regional Director, CGWB.
5. In case ground water abstraction is more than 10 m³/day, ground water quality shall be monitored once in a year (during pre- monsoon period) and the report submitted to the Regional Director, CGWB.
6. Ground water augmentation/harvesting measures, as stipulated in the NOC, shall be implemented (in new cases) / continue to be maintained (in case of renewal) in consultation with the Regional Director, CGWB.
7. Proof of recharge/ water harvesting (photographs of structures constructed) shall be submitted to the Regional Director, CGWB. The firm shall also undertake periodic maintenance of recharge/water harvesting structures at its own cost.
8. The firm shall optimize water use through recycling/ reuse of waste water after proper treatment.
9. The project proponent shall take all necessary measures to prevent contamination of ground water in the premises, failing which the firm shall be responsible for any consequences arising thereupon.
10. In case of industries likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
11. Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
12. In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
13. Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the Regional Director, Central Ground Water Board.
14. The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
15. This NOC is subject to prevailing Central/ State Government rules/ laws/ norms or Court orders related to construction of tube well/ ground water abstraction structure/ recharge or conservation structure/discharge of effluents or any such matter as applicable.
16. This NOC does not absolve the proponents of their obligation/ requirement to obtain other statutory and administrative clearances from appropriate authorities.
17. The issue of this NOC does not imply that other statutory/ administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
18. This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/ court orders in cases related to ground water or any other related matters.
19. Application for renewal can be submitted online from 90 days before the expiry of NOC. Application for renewal of expired NOCs shall not be entertained and subsequent ground water withdrawal, if any, shall be illegal & liable for legal action as per provisions of Environment Protection Act (EPA), 1986.
20. **In case of any violation of NOC conditions or illegal extraction of Ground water the firm shall be liable to pay "Environmental Compensation"/ "Penalty", if any under Sec 15 of EPA 1986 as and when decided by statutory authorities.**

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)





BIHAR STATE POLLUTION CONTROL BOARD
Rajivesh Bhawan, NSB-2, Patliputra Industrial Area
Patliputra, Patna - 800 010

Ref. No.

Patna, dated:-

'CONSENT-TO-ESTABLISH' (NOC)

UNDER SECTIONS 25/26 OF THE WATER (PREVENTION AND CONTROL OF POLLUTION) ACT, 1974 AND 21 OF THE AIR (PREVENTION AND CONTROL OF POLLUTION) ACT, 1981

Reference application ID: 382873, dated: 06.06.2016 of M/s Balmukund Concast Pvt. Ltd., Prop. Sri Santosh Kumar Kanodia, 108, Kalyani Complex, Exhibition Road, Dist.-Patna-800001 for setting up Billet & TMT Bar unit at Khata no-29, 34 72, Khesra no.-1708,1714,1730-34, Mauza- Mahadeopur, At- Mahadeopur Phulari, Po.-Bihta, Dist.-Patna-801103 with Capacity as details given below:-

- (i) Billet-30000Mt/Yr.
- (ii) TMT Bar -30000Mt/Yr.

Investment- 1091Lacks

AFTER CONSIDERING:

- (i) The facts stated in their application;
- (ii) Bihar State Pollution Control Board's Notification No. 26 dated 08.11.2003;
- (iii) Provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981.
- (iv) As per inspection made by the Board on 27.08.2016.

NOC IN FAVOUR OF THE PROPONENT AT THE SAID SITE IS HEREBY ACCORDED SUBJECT TO THE FOLLOWING CONDITIONS:

- (i) The proponent shall obtain 'Consent-to-Operate' under sections 25 & 26 of the Water Act, 1974 and Section 21 of the Air Act, 1981 prior to commissioning of the plant from this Board;
- (ii) The effluent (domestic or trade) and emission, if any, shall conform to the standard prescribed by the Board;
- (iii) They shall install Diesel Generator set(s) with integral acoustic enclosure as per norms of the Board and submit ANL report just after commissioning the unit.
- (iv) They shall provide port hole and platform in the stack for monitoring of flue gas analysis as per norms and height of the stack connected Oil Fired Furnace shall be 35 Mtrs from the Grand Level.
- (v) They shall submit ambient air quality report and stack monitoring reports to the Board just after commissioning of the unit.

Page 1 of 2





BIHAR STATE POLLUTION CONTROL BOARD
Parivesh Bhawan, NSB-2, Patliputra Industrial Area
Patliputra, Patna - 800 010

- (vi) The unit shall provide fume extraction system attached with water scrubber and stack of 20 meter over the induction furnace.
- (vii) Solid waste shall be managed properly so that there shall not be any nuisance arising out of the industry.
- (viii) They shall maintain zero discharge cooling water shall be re-circulated only.
- (ix) No Galvanising/Pickling/Electro Plating work shall be done without obtaining prior CTE/CTO from the Board.
- (x) If any complain received against the unit. The unit shall shift another suitable site.
- (xi) That, the Project Authority must obtain all other statutory clearance/permission from competent authority.
- (xii) Tree plantation shall be developed as per condition of Environmental Clearance and keep well maintained.
- (Xiii) The unit shall have a display board near the site stating name of unit / Industry with address/name of proprietor with address and ref memo no and date of consent with its validity period granted by the Board.

NOTE:


1. Bihar State Pollution Control Board reserves the option to revise or add other conditions, if necessary, for protection of Environment in general and for Pollution Control in particular;
2. The present NOC should not be construed as an assurance for the grant of 'Consent-to-Operate' the proposed plant but shall be subject to compliance of all the conditions indicated above;
3. The NOC, granted, shall be valid for a period of one year from the date of issue.

Sd/
(Alok Kumar)
Member Secretary

Memo No.:- T-2000

Patna, dated:- 27.12.17

Copy forwarded to: M/s Balmukund Concast Pvt. Ltd., Prop. Sri Santosh Kumar Kanodia, 108, Kalyani Complex, Exhibition Road, Dist.-Patna-800001/Concern AEE, Patna for favour of information and necessary action.


(Alok Kumar)
Member Secretary



**BIHAR STATE POLLUTION CONTROL BOARD**Parivesh Bhawan, NSB-2, Patliputra Industrial Area
Patliputra, Patna - 800 010

Ref. No - 7157

Patna, dated- 06.12.19

EMISSION CONSENT ORDER

With reference to the application ID. 2011065, dated 06.12.2018 of M/s Balmukund Concast Pvt. Ltd., 108, Kalyani Complex, Exhibition Road, Dist. Patna-800001 for consent under sections 21 of the Air (Prevention & Control of Pollution) Act, 1981 for the MS Ingot & TMT Bar/ MS Rod (Production capacity- MS Ingot - 66000 MT/Year & TMT Bar/ MS Rod - 823300 MT/Year, Coal as fuel- 2.5 MT/day, stack height - 30 Meter) plant Mauza- Mahadeopur, VIII.-Bihla, Phulari, Dist.- Patna- 801103 he/they is/are granted consent to operate the unit for the period upto 31.12.2023 with the following conditions:-

- 1 That, he/they shall not make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board and shall also abide by the obligations under sections 22,23 and 31A of the Air (Prevention & Control of Pollution) Act,1981 and further shall extend co-operation to the Board in performing its functions entrusted under sections 24,25 and 26 of the Act ;
- 2 That, he/they shall comply with the requirements of rule 14 of the Environment(Protection) Rules, 1986; rules 4,5,7,9,10 and 11 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016; rules 4,5,7,8,10,11,12,13,15,17 and 18 of the Manufacture, Storage and Import of Hazardous Chemical Rules,1989; and the provisions of the Public Liability Insurance Act,1991, whichever is applicable;
- 3 That, he/they shall monitor his/their emission(s) and the ambient air quality from representative point regularly and shall maintain its quality in conformity with Board's standards and shall produce its proof, as and when asked for;
- 4 That, he/they shall submit application for consent again 30 days before the expiration of the period of consent i.e. 30.11.2023 or within 30 days from the date of receipt of this order, whichever is applicable.

Specific Conditions:

- i) Pollution control measures shall be operated regularly to control the gaseous emissions from the gas/ coal fired reheating furnace to control the process emissions within 100 mg/Nm³ before discharging into open atmosphere through recuperator and chimney of adequate height. Furnace Oil shall not be used.
- ii) Data on ambient air quality and stack emissions shall be monitored regularly and reports shall be submitted to this Board once in six months.
- iii) Gaseous emissions including secondary fugitive emissions from all the sources shall be controlled within the permissible limits issued by the Ministry.
- iv) Vehicular pollution due to transportation of raw material and finished product shall be controlled. Proper arrangements shall also be maintained to control dust emissions during loading and unloading of the raw material, solid wastes and finished product.
- v) Water sprinkling shall be done to control fugitive emissions.
- vi) Proper housekeeping shall be ensured and all the raw material including scrap, coal, slag, sludge and oily waste shall be stored separately in designated place only. All the other solid wastes including broken refractory mass shall be properly disposed off in environment-friendly manner.
- vii) Green belt shall be developed with at least in two rows / lines which distance between the rows/lines should be 2 meters and the plant-to-plant distance should be 2 meters, all around the unit premises, apart from the vacant land to fulfil the 33% Tree coverage

EPABX & 0612-2261250/2262265, Fax & 0612-2261050
E-mail:bspcb@yahoo.com, Website & http://bspcb.bih.nic.in



BIHAR STATE POLLUTION CONTROL BOARD

Parivesh Bhawan, NSB-2, Patliputra Industrial Area
Patliputra, Patna - 800 010

General Conditions:

- i) That, the effluent (Domestic & Trade) and emission, if any, shall conform to the standard as prescribed by the Board.
- ii) That, the D.G. Set with integral acoustic enclosure and adequate height of exhaust pipe shall be maintained in accordance with guideline prescribed by the CPCB and the noise level shall be within the prescribed limit.
- iii) That, they shall manage organic wastes in such a way that there shall be no nuisance from the wastes.
- iv) That, plantation shall be carried out during this monsoon in 2/3 tire
- v) No further expansion or modifications in the plant shall be carried out without prior E.C and consent from this Board.
- vi) The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic roads, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75dBA (day time) and 70 dBA (night time).
- vii) Proper housekeeping shall be ensured and all the raw material including scrap, coal etc. shall be stored at designated places.
- viii) That, they shall make provisions for display of data outside main factory gate about quantity and quality of water discharge and air emissions along with solid waste generated within the factory premises.
- ix) All the measures regarding occupational health surveillance of the workers shall be undertaken and regular medical examinations of all the employees shall be ensured as per the Factories Act and records maintained.

To,

Sri Santosh Kumar Kanodia
M/s Balmukund Concast Pvt. Ltd.
108, Kalyani Complex, Exhibition Road
Dist.-Patna-800001

 6/12/19

(Alok Kumar)
Member-Secretary

L

CPABX & 0612-2261250/2262265, Fax & 0612-2261010
E-mail: bspcb@yahoo.com, Website & http://bspcb.bih.nic.in





BIHAR STATE POLLUTION CONTROL BOARD
Parivesh Bhawan, NSB-2, Patliputra Industrial Area
Patliputra, Patna - 800 010

Ref. No. 7/52

Patna, dated- 6-12-19

DISCHARGE CONSENT ORDER

With reference to the application ID: 2011065, dated 06.12.2018 of M/s Balmukund Concast Pvt. Ltd., 108, Kalyani Complex, Exhibition Road, Dist.-Patna-800001 for consent under sections 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 for the MS Ingot & TMT Bar/ MS Rod (Production capacity- MS Ingot - 66000 MT/Year & TMT Bar/ MS Rod - 823300 MT/Year; water requirement-20 kilolitre per day; effluent discharge Mode- ZLD) Plant Mauza- Mahadeopur, Vill.- Bihta, Phulari, Dist.- Patna- 801103 he/they is/are granted consent to bring into use his/their new/alterd/existing outlet one each for discharge of trade effluent and domestic sewage (total-1nos.) for the period upto 31.12.2023 with the following conditions:-

- 1 That, he/they shall not make any alteration, addition, deletion or modification in the plant without the prior clearance from the Board and shall also abide by the obligations under sections 24,31 and 33A of the Water (Prevention & Control of Pollution) Act,1974 and further shall extend co-operation to the Board in performing its functions entrusted under sections 20,21,23,30 and 32 of the Act
- 2 That, he /they shall comply with the requirements of rule 14. general discharge standards (if applicable) of the Environment (Protection) Rules, 1986. rules of the Hazardous and Others Wastes (Management, Handling & Transboundary Movement), Rules 2016; rules of the Manufacture, Storage and Import of Hazardous Chemical Rules,1989; and the provisions of the Public Liability Insurance Act, 1991, whichever is applicable;
- 3 That, he/they shall monitor his/their effluent(s) regularly and maintain its quality in conformity with Board's standards and shall produce its proof, as and when asked for;
- 4 That, he/they shall submit application for consent again 30 days before the expiration of the period of consent i.e. 30.11.2023 or within 30days from the date of receipt of this order, whichever is applicable.

Specific Conditions:


- i) 'Zero' effluent discharge shall be strictly followed and no wastewater shall be discharged outside the premises.
- ii) The discharge from domestic use shall be treated in septic tank followed by soak pit.

General Conditions:

- i) That, the effluent (Domestic & Trade) and emission, if any, shall conform to the standard as prescribed by the Board.
- ii) That, green belt shall be developed and maintained
- iii) The company shall practise surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
- iv) All the measures regarding occupational health surveillance of the workers shall be undertaken and regular medical examinations of all the employees shall be ensured as per the Factories Act and records maintained.
- v) That, they shall make provisions for display of data outside main factory gate about quantity and quality of water discharge and air emissions along with solid waste generated within the factory premises.
- vi) That, Environment statement for each financial year shall be submitted to this Board by 30th September of the following year.

To,

Sri Santosh Kumar Kanodia
M/s Balmukund Concast Pvt. Ltd.
108, Kalyani Complex, Exhibition Road
Dist.-Patna-800001


(Alok Kumar)
Member-Secretary

EPABX & 0612-2261250/2262265, Fax & 0612-2261050
E-mail:bspcb@yahoo.com, Website & http://bspcb.bih.nic.in



THE TIMES OF INDIA, PATNA
MONDAY, JULY 24, 2017

PUBLIC NOTICE

This is to inform all concerned that State Environment Impact Assessment Authority (SE/AA), Bihar, vide its letter Ref. no. 94/SE/AA/17 Dated 27.06.2017 has accorded Environmental Clearance, for Proposed Expansion Project of M/s. Bamukund Concast Ltd. at Vill- Mahadeopur Phulari, Bihar, Bihra Dist. Patna.

Copy of the clearance letter is available with the Bihar State Pollution Control Board and can be viewed at the SE/AA, Bihar Website at <http://www.seiaabihar.org>

For further information contact :

The Director
M/s Balmukund Concast Ltd.
Kalyani Complex,
Exhibition Road
Patna - 800 001

24.07.2017 07

यह सूचना कि बिहार राज्य
पर्यावरण संरक्षण विभाग द्वारा
पटना के ग्राम अर्थात् फुलारी में
दिनांक 27.06.2017 के एन.ई.ओ.
अनुमति सिफ्टिफिकेट द्वारा
क. लिमिटेड को पर्यावरण
पर्यावरण स्वीकृति
प्रदान किया गया है।
प्रतिकरण के विषय में
seiaabihar.org पर भी जानकारी
सूचना के लिए सम्पर्क करें।

The Director,
Bamukund Concast Ltd.,
Kalyani Complex,
Exhibition Road,
Patna - 800 001



BADA

बिहार औद्योगिक क्षेत्र विकास प्राधिकार

प्रथम तल, उद्योग भवन, पूर्वी गाँधी मैदान, पटना-800004

Website: www.bisepbihar.org, Email: ed@bise-bih.gov.in, Phone: 0612-2675998/2675002

पत्रांक 5327/D

दिनांक 26.7.18

प्रेषक

विकास पदाधिकारी
बियाडा, पटना।

सेवा में,

सर्वश्री बालमुकुन्द कॉन्कास्ट प्राइवेट लिमिटेड
108, कल्याणी कॉम्प्लेक्स
एक्जीक्यूटिव रोड
पटना।

विषय: मेगा पार्क, बिहटा में 1000 अदद पेड़ लगाने के संबंध में।

महाराज,


निदेशानुसार, उपर्युक्त विषयक आपके पत्र दिनांक 06.09.2018 के आलोक में मेगा पार्क बिहटा में 1000 पेड़ इस लगाने की अनुमति इस शर्त पर दी जाती है: -

1. मेगा पार्क बिहटा में 1000 पेड़ लगाना होगा, एवं इसका रख रखाव 10 वर्ष तक करना होगा।
2. औद्योगिक क्षेत्र, पाटलीपुत्रा में शेष बचे स्थानों पर पेड़ लगाना एवं इसका रख रखाव 10 वर्षों तक करना होगा।
3. वृक्षारोपण में मेगा पार्क, बिहटा एवं औद्योगिक क्षेत्र, पाटलीपुत्रा में आवागमन में कोई अवरुद्ध पैदा ना हों।
4. सभी वृक्षारोपण संबंधित क्षेत्रीय प्रभारी के देख रेख में होगा।
5. वृक्षारोपण एवं रखरखाव से सभी खर्च आपके अपने स्तर से करना होगा इसमें बियाडा के तरफ से किसी प्रकार की राशि उपलब्ध नहीं कराई जायेगी।

विश्वासभाजन

26-7-18
विकास पदाधिकारी





BIHAR INDUSTRIAL AREA DEVELOPMENT AUTHORITY

First Floor, Udyog Bhawan, East Gandhi Maidan, Patna-800001

Branch Office : Mega Industrial Park, Bihta, Patna.

Website-www.biadabihar.in, Email- biada-bih@gov.in Phone: 0612-2675998/2675991/2675889 (Fax)

To whom it may so ever concern

This is to certify that M/s Balmukund Concast Pvt. Ltd, Patna has completed the plantation of total 816 no of various trees (Height-10-15 feet) like – Tabubia Rosea, China Badam, Bogada, Spetodia etc in the common area (Roads) of Mega Industrial Park Bihta near by – M/s Raymond Limited, M/s Hero Cycles Limited, M/s NSIT Engg. College, M/s MIT Engg. College, M/s Citizen Bykes in referrence to the BIADA Letter No 5327/D Dated 26.10.2018.


Sd/-

(SANJEET KUMAR)
AREA INCHARGE, BIADA
MEGA INDUSTRIAL PARK, BIHTA

Memo No. 47/MIP

Dated 25/04/2019

Copy forwarded to : M/s Balmukund Concast Pvt. Ltd., Exhibition Road,
Patna for kind information and necessary action.


25/04/2019

(SANJEET KUMAR)
AREA INCHARGE, BIADA
MEGA INDUSTRIAL PARK, BIHTA





Club of
Patna Midtown

PEOPLE of ACTION



Rtn. Abhishek Akela, PHF
President 2020-2021
M-9910090718
Email-rotarypatmt@gmail.com

Rtn. Dr. Raushan Bhatt
Secretary 2020-2021
M-8084430200
Email- secretaryrpmt@gmail.com

Rtn. Rajesh Gupta, Major Donor
Treasurer 2020-2021
M-9334733345
Email -rtnrajeshgupta@gmail.com

Date: -29 Sep 2020

To,
The Director,
Balmukund Concast Ltd
Bihta

On behalf of Rotary Club Of Patna Mid Town, I thank you for supporting tree plantation drive at IIT, Bihta. All saplings are well protected with tree guard. Because of your support we were able to plant 500 saplings with tree guard.

Expenditure for this project was **150000/- (One Lakh Fifty Thousand)** which includes 500 saplings, 500 bamboo tree guard, labor cost and other miscellaneous cost which is already received by us.

We once again thank you for supporting this project.

Yours in Rotary,

Rtn. Abhishek Akela
Club President (RY 2020-2021)
Rotary Club of Patna Mid Town

Rotary   Rotary Opens
Opportunities



